



William Davey
 SW Florida Sales Developer
 MOBILE: 201.213.1138
 EMAIL: wdavey@Technogym.com

Commons Club at The Brooks

- 220 VAC 20 AMP 60 HERTZ NEMA 6-20R OR
 - 110 VAC 20 AMPS 60 HERTZ NEMA 5-20R
 - 120 VAC 15 AMP 50-60 HERTZ NEMA 5-15R
 - 120 VAC 15 AMP 50-60 HERTZ NEMA 5-15R
- EACH TREADMILL REQUIRES ITS OWN INDIVIDUAL BRANCH CIRCUIT WITH THE HOT, NEUTRAL AND GROUND WIRES RUN TO THE ELECTRICAL PANEL.
 OUTLETS PLACED 6" FROM WALL RECOMMENDED

- COAXIAL FOR CABLE/SATELLITE AND CAT 6 FOR DATA AND/OR IPTV
 - 120 VAC 15 AMP 50-60 HERTZ NEMA 5-15R
 - 120 VAC 15 AMP 50-60 HERTZ NEMA 5-15R
- PLACEMENT OF THESE ARE FOR THE OPTIONAL ISO CONTROLS FOR SELECTION DR ELEMENT

SCALE: To Fit	10.24.19
REV: B4	PROJECT NO: TGWD19690